

Description	Part #	288	338	459
Floating Fortress™ Foundations				
Mission 20: 20' Long x 8'6" Beam		-	-	-
Mission 25: 25' Long x 8'6" Beam		-	-	-
Mission 288A: 25'3" Long x 11'5" Beam	288A	O	-	-
Mission 338A: 29'7" Long x 11'5" Beam	338A	-	O	-
Mission 459A: 36'6" Long x 12'7" Beam	459A	-	-	O
Mission 525A: 41'9" Long x 12'7" Beam	525A	-	-	-

STANDARD EQUIPMENT ON MODEL A BOATS INCLUDE:

- * Advanced Technology - Mission Marine design draws on one of U.S. Patents Office latest approvals, Patent No.: 6,394,014, and yet Mission Marine methodology implementation is tried and true.
- * Mission Vessels use American Boat & Yacht Council, United States Coast Guard, American Bureau of Shipping Standards and can be (optional)T-Boat Certified per CFR 46
- * DUAL ENGINE BATTERY MANAGEMENT SYSTEM. System per engine includes one Series 29 Battery, one Heavy-Duty Aluminum Tray, Rig-for-Red Light in Lazarette, One On/Off Battery Switch, Battery Cables, and Terminals. System includes Off/1/All/2 Switch
- * BILGE PUMPS (2), Rule 800
- * ELECTRICAL BREAKER SYSTEM. In most cases, on some units there are fuses and switches.
- * CUSTOM ENGINE LIFT BRACKETS AND POWER UNITS (2), Heavy-Duty (for shallow water and high speed operation)
- * HORN, Trumpet, Stainless Steel
- * HYDRAULIC STEERING, High Pressure, Electric Power Assist, Emergency Shim Locks, Two Cylinders (dual engine application)
- * LIGHTS, Navigation (red, green, white)
- * LIGHTS, Rig-for-Red (one under console, one in each lazarette)
- * CLEATS (6), Heavy-Duty, 10" Pop-Up, Through-Bolted with Doublers & Nylock Nuts, Flush when Down
- * CUDDY CABIN, Welded Aluminum Binnacle, includes custom continuous aluminum hand rail, and stainless steel handrail, available in long or short cuddy cabin, some options require long cuddy cabin - see "Binnacle" options
- * LARGE FREEING PORT DOOR, with Stainless Steel Spring-Loaded Hinges
- * FIRE EXTINGUISHERS (2), 2.5 lbs ABC, includes bracket, United States Coast Guard Approved
- * FUEL SYSTEM, Stainless Steel, Aluminum, Marine Hose, Two Stainless Steel Shut Off Valves (dual engine application). 1/4" thick Aluminum Tanks.
- * HANDRAIL, Stainless Steel & Aluminum
- * HATCHES, Multiple Hatches including Two Freeman 18" x 24" Watertights
- * 288 & 338 HULL, constructed entirely from 3/16" 5083 and 5086 marine aluminum plate welded into one single unit from bow to stern with 3/8" reinforced plate transom and three 1/4" plate watertight frames. Depending on configuration, yields 7-8 compartments.
- * 459 HULL, constructed entirely from 1/4" 5083 and 5086 marine aluminum plate welded into one single unit from bow to stern with 3/8" reinforced plate transom and four 1/4" plate watertight frames. Depending on configuration, yields 9-10 compartments.
- * NON SKID STEP PADS, 10.75" x 5.25", Self Adhesive (on engine lift brackets)
- * PLAQUE, Dumping & Waste, (U.S.A. Boats Only)
- * HEAVY-DUTY ZINC MOUNT with Zincs
- * STAY ABOARD BOX for owners manual and equipment manuals

Notes:

1. "-" = option is not available on this model
2. Option pricing assumes all options are chosen at time of new boat order.
3. Many additional options, which do not appear in this retail catalog, exist. Please phone, 419-625-0123, for further information and to discuss your particular requirements.
4. Mission Marine, Ltd. reserves the right to modify, discontinue, substitute, change or improve specifications, price, designs, features, models, or equipment at any time without incurring obligation to Mission Marine prior to accepting new boat order.
5. In furtherance of our policy of continual product improvement, Mission Marine, Ltd. reserves the right to modify, discontinue, substitute, change or improve specifications, price, designs, features, models, or equipment at any time, without assuming obligation to modify boats previously manufactured.
6. Designs may change to accommodate customer needs; confer with Mission Marine regarding configurations.
7. Size specifications vary based on options, specific design, and construction methods and are intended as approximations.
8. Pricing valid for boat delivered.
9. Mission Marine and Floating Fortress are registered trademarks. The distinctive hull shapes of Mission Marine boats are proprietary and protected.
10. Mission Marine believes the specifications to be correct at the time of printing. Some options may be unavailable when your boat is built. Please ask Mission Marine for advice concerning the current availability of options and verify the optional equipment that you ordered.
11. Mission Marine boats are designed as high performance machines to perform extraordinary missions, but in all cases the operator, crew, and all on board and near must use good judgement. No system can overcome the laws of physics.

The following Sales Terms are expressly made a part of the Sales Agreement between the parties

1. Purchaser to pay Balance Due by certified check, bank wire transfer, or bank check at or prior to time of delivery.
2. In the event of default or any failure to perform by Purchaser, Seller shall be permitted to retain the deposit as liquidated damages, not as a penalty, the parties agreeing that the exact extent of Seller's damages is difficult to ascertain.
3. Purchaser agrees that all terms and conditions, including those on these pages, are part of this Sales Agreement, and that ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE OF MISSION MARINE, LTD. ARE EXCLUDED FROM THIS TRANSACTION.
4. Seller shall not be liable for failure to deliver or delay in delivering the boat covered by this Sales Agreement where such failure or delay is due, in whole or part, to any cause beyond the control or without the fault or negligence of Seller.
5. WARRANTY: ANY WARRANTY ON ANY NEW BOAT OR USED BOAT STILL SUBJECT TO THE ORIGINAL WARRANTY SHALL BE AS STATED IN THE LIMITED COMMERCIAL WARRANTY ATTACHED HERETO AND MADE A PART HEREOF. THE SELLER HEREBY DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT FOR THE SPECIFIC EXPRESS WARRANTY PROVIDED IN WRITING TO PURCHASER AND DENOMINATED AS SUCH.
6. PURCHASER SHALL NOT BE ENTITLED TO RECOVER FROM SELLER ANY CONSEQUENTIAL DAMAGES, DAMAGES TO PROPERTY, DAMAGES FOR LOSS OF USE, LOSS OF TIME, LOSS OF PROFITS, OR INCOME, OR ANY OTHER INCIDENTAL DAMAGES ARISING OUT OF OR IN ANY WAY RELATED TO THIS SALES AGREEMENT AND THE BOAT AND EQUIPMENT SOLD HEREUNDER.
7. The Purchaser, before or at the time of delivery of the boat covered by this Sales Agreement will execute such other forms of agreement or documents as may be required by the terms and conditions of payment indicated on the front of this Sales Agreement.
8. This Sales Agreement and any claims arising thereunder shall be governed by the laws of the State of Ohio. The invalidity of any provision shall not affect the validity of the remaining provisions of this Sales Agreement.
9. This Sales Agreement contains the entire understanding between Purchaser and Seller and no other representation or inducement, verbal or written, has been made which is not set forth herein.
10. Purchaser, by signing and initialing this Sales Agreement, acknowledges that he has read its terms and conditions and has received a true copy of this Agreement. This Agreement shall not become binding until accepted in writing by an authorized representative of Mission Marine, Ltd.

Description	Part #	288	338	459
Binnacle				
MID BINNACLE PANEL WITH LOCKABLE DOOR	BIN-MIDPNL-01	0	0	0
BINNACLE COVER	BIN-COV	0	0	0
MID BINNACLE BLOWER	BLWR-MIDBIN-01	0	0	0
Pilot House Options (all pilot house options require pilot house)				
PILOT HOUSE, THREE SIDES, 7' WIDE, (Front & Two Sides) ... Heavy Duty, Welded Aluminum, Two 3/8" Tempered Glass Front Windshield, Two 1/4" Tempered Sliding Glass Side Cabin Windows, Exalto Heavy-Duty 12 VAC Wiper System (self-parking, intermittent operation, pantograph arms), One Rigged for Red Light, Handrails, Step to Roof	PH-3SIDES-7	-	0	-
CABIN BACK BULKHEAD ... Two 1/4" Tempered Glass Aft Cabin Windows, Cabin Door with 1/4" Glass Window, Handrails, (requires part #PH-3SIDES-7')	PH-BKBULKHD-7	-	0	-
UPGRADE FROM 7' Wide TWO PASSENGER PILOT HOUSE TO CUSTOM FOUR PASSENGER PILOT HOUSE (requires part #s PH-3SIDES-7 and PH-BKBULKHD-7)). Including One Port Sliding Interlocking Side Cabin Door with One 1/4" Tempered Glass Window; Two 1/4" Tempered Glass Side Cabin Windows; Two Custom Rear Seats with One Chart Table; One additional Rigged-for-Red Light; Thermal and Sound Insulation; Dewatering System Placed Under Rear Pilot House Seat through Aft Bulkhead Hatch; Secure Storage Locker.	PH-UPGRADE4-7	-	0	0
PILOT HOUSE, FOUR SIDES, 8' WIDE, ... Heavy Duty, Welded Aluminum, Four 3/8" Tempered Glass Front Windshields, Four 1/4" Tempered Sliding Glass Side Cabin Windows, Two 1/4" Tempered Glass Aft Cabin Windows, Exalto Heavy-Duty 12 VAC Wiper System (self-parking, intermittent operation, pantograph arms), Two Sliding Interlocking Side Cabin Doors with 1/4" Glass Window, Two Rigged for Red Lights, Handrails, Steps to Roof	PH-4SIDES-8	-	-	0
4 PERSON PILOT HOUSE, 7' WIDE, ... Heavy Duty, Welded Aluminum, Two 3/8" Tempered Glass Front Windshield, Four 1/4" Tempered Sliding Glass Side Cabin Windows, Exalto Heavy-Duty 12 VAC Wiper System (self-parking, intermittent operation, pantograph arms), One Rigged for Red Light, Handrails, Step to Roof, Back Door	PH-4SIDES-7	-	0	0
ADDITIONAL PILOT HOUSE BACK DOOR (requires: PH-4SIDES-8 or PH-BKBULKHD-7)	PH-AFTDOOR-01	-	0	0
AIR CONDITIONING, RVP Products, Series 8000, 13,500 BTU Roof Top Unit with Cold Chaser (generator required for use at sea and shorepower required for dock side use)	PH-A/C-01	-	0	0
AIR CONDITIONER/HEATER, 16,000 BTU VCD Reverse Cycle (requires generator or shore power)	PH-A/C-HEAT-01	0	0	0
HEATER, 1001H 3900 BTU (requires generator or shore power)	PH-HTR/DFR-110VAC	0	0	0
HEATER/DEFROSTER, QL-33-10, 34,000 BTU (requires IB Engine)	PH-HTR/DFR-IB	0	0	0
GALLEY CABINET, will fit a 2.7 cu ft. refrigerator and small sink	PH-GALLEYCAB-01	0	0	0
AFT SEAT, In Cabin, (requires part #PH-4SIDES-8')	PH-AFTSEAT-01	-	-	0
AFT-SEAT CUSHIONS, Custom Made for Aft Welded Seat, Set of 3, (requires part #PH-AFTSEAT-01)	PH-AFTCUSH-01	-	-	0
WINDOW FANS, (2), Hella, 12 VAC, Turbo	PH-FANS-01	-	0	0
Head Options (all head options require headsole)				
FIXED MOUNTED HEAD SYSTEM, Sealand Vacuflush, Series 500, 18 Gallon Holding Tank (requires freshwater system)	HEA-FIXED-01	-	-	0
PORTABLE HEAD, Sealand Sanipottie, 3.25 Gallon Holding Tank	HEA-PORT-01	0	0	0
HEADSOLE, Heavy-Duty Aluminum, includes Hatches and Stainless Steel Handrail	HEA-HEADSOLE-01	0	0	0
CUSTOM FOLD DOWN HEADSOLE COVER	HEA-HEADSOLE-COV	0	0	0
HEAD DOOR with Lock, Solid Panel Swing Door	HEA-DOOR-01	-	-	0

Description	Part #	288	338	459
VINYL HEAD DOOR	HEA-DOOR-VYL	0	0	0
FORWARD HEAD SUMP, Electric	HEA-FORSUMP-EL01	0	0	0
FORWARD HEAD SUMP, Fixed Mounted, Manual	HEA-FORSUMP-FX01	0	0	0
FRESH WATER SYSTEM, including pump, water tank, stainless steel sink, stainless steel deck fill and vent	HEA-FWS-01	-	-	0
Weather Protection Options				
OPEN CONSOLE CUSTOM WINDSCREEN		0	0	0
T-TOP, 7' WIDE, Heavy-Duty, Welded Aluminum	T-TOP-7	0	0	-
HARDTOP, 7' WIDE, Heavy-Duty, Welded Aluminum, with Two 3/8" Tempered Glass Front Windshields, Two 1/4" Tempered Glass Side Windows, Aluminum and Stainless Steel Hand Railings, Exalto Heavy-Duty 12 VAC Wiper System (self-parking, intermittent operation, pantograph arms), Front Windshield Step	HARDTOP-7	0	0	-
HARDTOP, 8' WIDE, Heavy-Duty, Welded Aluminum, with Four 3/8" Tempered Glass Front Windshields, Two 1/4" Tempered Glass Side Windows, Aluminum and Stainless Steel Hand Railings, Exalto Heavy-Duty 12 VAC Wiper System (self-parking, intermittent operation, pantograph arms), Front Windshield Step	HARDTOP-8	-	-	0
FRESHWATER WINDOW WASHING SYSTEM, adds on and mounts to existing Exalto wiper system	WEA-FRESH-WASH01	0	0	0
COVER FOR CONSOLE	COVCONSOLE	0	0	0
Seating Options				
BENCH SEAT, Large Storage Area Under, Welded Aluminum, includes (2) 16 x 24 Hatches, Vent Holes, Aluminum Handrails	SEAT-WBS-01	0	0	0
BENCH SEAT, Cushion (requires part #SEAT-WBS-01)	SEAT-WBSCUSH-01	0	0	0
STIDD SEATS, (2), INCLUDING INSTALLATION, Series 500, Low Back, Powdercoated, Naugahyde, Telescoping, Tall (Shock Mitigating) Pedestal, Manual Adjustment. Also comes fully equipped with Fore/Aft Slides, Locking Swivel, X2 Footrest, Deck Interface Plate, Deck Reinforcement, Seat Hardware.		0	0	0
STIDD SEATS, (2), INCLUDING INSTALLATION, Series 500, Low Back, Powdercoated, Naugahyde, Telescoping, Tall (Standard) Pedestal, Manual Adjustment. Also comes fully equipped with Fore/Aft Slides, Locking Swivel, X2 Footrest, Deck Interface Plate, Deck Reinforcement, Seat Hardware.	STIDD-500-201X2	0	0	0
1" ADDITIONAL FOAM IN SEAT, (2), (requires STIDD, Series 500 Seat ...must be ordered at time of Boat order)	STIDD-1"FOAM-500	0	0	0
SEAT BELT, CRES Lapbelt Assembly, (2), (requires STIDD, Series 500 Seat ... must be ordered at time of Boat order)	STIDD-SEATBLT-500	0	0	0
SEAT COVER, (2), Fitted Protective Cover (requires STIDD, Series 500 Seat, Low Back)	STIDD-SEATCOV-500	0	0	0
<i>Many other seat options available, call for quote</i>				
Heavy Duty Exterior Equipment Options				
RETRACTABLE UNDERWING, Patent Pending, Hydraulically raised and lowered ramp as part of integral underwing assembly. Welded underwing with solid deck plate.	EXT-RETRACTUW-SP	0	0	0
RETRACTABLE UNDERWING, Patent Pending, Hydraulically raised and lowered ramp as part of integral underwing assembly. Welded underwing with grated deck plate.	EXT-RETRACTUW-GR	0	0	0
INFLATABLE RESCUE PANEL to extend reach of retractable underwing (REQUIRES: RETRACTABLE UNDERWING)	EXT-RETRACTUW-IFP	0	0	0
PUSHKNEE	EXT-PUSHKNEE-01	0	0	0

Description	Part #	288	338	459
BOARDING HANDLE, Heavy-Duty, Stainless Steel, with S/S holder on each side of boat	EXT-BH-01	0	0	0
BOARDING STEPS, (2), Extra Heavy-Duty, Fold-Down	EXT-BST-01	0	0	0
NON SKID STEP PAD, Treadmaster, 10.75" x 5.25", Self Adhesive	EXT-STPD-01	0	0	0
CLEAT, (1), Heavy-Duty, 10" Pop-Up, Through-Bolted with Doublers & Nylock Nuts, Flush when Down	EXT-CLEAT-01	0	0	0
FOREDECK STEPS	EXT-FORST-01	0	0	0
FOREDECK STEP RAILINGS, Straight Style (1 port, 1 starboard)	EXT-FORSTRL-S	0	0	0
FOREDECK STEP RAILINGS, Wrap Style (1 port, 1 starboard)	EXT-FORSTRL-W	0	0	0
CENTER SINGLE U RAILING, 1-1/2" DIA	EXT-CTRSINU-01	0	0	0
HAND-RAIL, 15"	EXT-HRL15-01	0	0	0
HAND-RAIL, 24"	EXT-HRL24-01	0	0	0
DECK TIE DOWN, (1), Heavy Duty, Recessed	EXT-DECTD-01	0	0	0
RUB RAIL, Heavy Duty	EXT-RUB-01	0	0	0
RUB RAIL FENDER COLLAR, Height Adjustable	EXT-RUBFC-01	0	0	0
ENGINE PROTECTION RAIL, (quick disconnect)--Outboards	EXT-ENRL-01	0	0	0
ENGINE PROTECTION RAIL, I/O and Waterjets	EXT-ENRL-WJ	0	0	0
TOW POST	EXT-TOWPOST-01	0	0	0
TOW LINE REEL WITH LINE	EXT-TOWLINERE-01	0	0	0
OVERSIZED SIDE DOOR, 34" wide	EXT-SIDEDOOR-01	0	0	0
HULL CHAFE PLATE, At Door Opening	EXT-CHAFEPL-01	0	0	0
HEAVY DUTY RUB STRAKES, Below Door	EXT-STRAKES-01	0	0	0
RESCUE RAIL, At Side Door	EXT-RESCUERL-01	0	0	0
LADDER, Armstrong, 4-Step, 48" Long Center Pole, Rated to 400 lbs, installed with storage holder	EXT-LAD-01	0	0	0
DIVE LADDER, for 34" Door Opening, Heavy-Duty	EXT-DIVELAD-01	0	0	0
DIVE TANK RACK, Three Bottles	EXT-DIVETANK-3BOT	0	0	0
DIVE TANK RACK, Six Bottles	EXT-DIVETANK-6BOT	0	0	0
<i>Many other Dive Tank Rack options available, call for quote</i>				
DAVIT, 300 lb rating	EXT-DAVIT-300	0	0	0
DAVIT, 500 lb rating	EXT-DAVIT-500	0	0	0

Many other Davit options available, call for quote

Description	Part #	288	338	459
TRIM TABS for use with water jet applications	EXT-TRIMTAB-01	0	0	0
Engine Equipment/Installation Options				
OUTBOARD APPLICATIONS				
Mercury OB				
ENGINE INSTALLATION AND TEST, Dual	ENG-INSTEST-01	0	0	0
EMERGENCY ENGINE CUTOFF Lanyard Stop Switch, Mercury Outboard Dual Engine	ENG-CUTOFF-01	0	0	0
PROPELLER, Spare, Mercury, Rev 4, 14-5/8 x 17, LH (Mounted)	ENG-48857025A46	0	0	0
PROPELLER, Spare, Mercury, Rev 4, 14-5/8 x 17, RH (Mounted)	ENG-48857024A46	0	0	0
HOUR METER (each), (not required with Mercury)	ENG-79850378A1	0	0	0
Mercury 2 Cycle OB				
PRE-RIG for DUAL ENGINES: Mercury 225 HP XXL & CXXL Optimax SW (Saltwater) 2-Stroke Outboard or 250 HP XXL & CXXL EFI Saltwater 2-Stroke Outboard. Parts include, Platinum Control Cables (Mercury Best), 4500 Commander Dual Engine Control (Mercury Best), Smart Craft Gauge Package with Separate Fuel Gauge, Dual Key Switch, Speedometer, Depth Finder	ENG-PRERIG-CY2-01	0	0	0
ENGINES, 225 HP XXL Optimax SW (Saltwater), 2-Stroke Outboard. 30 inch shaft length. Electric start, set up for remote operation. Direct oil/fuel injection meeting US EPA/CARB emission requirements. Power trim/tilt is standard. Engine comes with mounting hardware and single engine steering connector kit.	ENG-225XXL-OPTI-SW-CY2	0	0	0
ENGINES, 225 HP CXXL Optimax SW (Saltwater), 2-Stroke Outboard. 30 inch shaft length. Counter-rotation (LH) gear case. Electric start, set up for remote operation. Direct oil/fuel injection meeting US EPA/CARB emission requirements. Power trim/tilt is standard. Engine only comes with mounting hardware.	ENG-225CXXL-OPTI-SW-CY2	0	0	0
ENGINES, 250 HP XXL EFI Saltwater, 2-Stroke Outboard. 30 inch shaft length. Electric start, set up for remote operation. Electronic fuel injection. Variable oil injection. Power trim/tilt is standard. Engine comes with mounting hardware and single engine steering connector kit.	ENG-250XXL-EFI-SW-CY2	0	0	0
ENGINES, 250 HP CXXL EFI Saltwater, 2-Stroke Outboard. 30 inch shaft length. Counter-rotation (LH) gear case. Electric start, set up for remote operation. Electronic fuel injection. Variable oil injection. Power trim/tilt is standard. Engine comes with mounting hardware only.	ENG-250CXXL-EFI-SW-CY2	0	0	0
<i>Several Quad Engine Installations available, call for quote</i>				
Mercury 4 Cycle OB				
PRE-RIG for DUAL ENGINES: Mercury 225XXL/CXXL, EFI Saltwater, 4-Stroke Outboard. Parts include, Control Cables, Dual Engine Control, Smart Craft Gauge Package with Separate Fuel Gauge, Dual Key Switch, Speedometer, Depth Finder	ENG-PRERIG-CY4-01	0	0	0
ENGINE, 225XXL EFI Saltwater, 4-Stroke Outboard. 30 inch shaft length. Electric start, set up for remote operation. Electronic fuel injection. Power trim/tilt is standard. Engine comes with mounting hardware and single engine steering connector kit.	ENG-225XXL-EFI-SW-CY4	0	0	0

Description	Part #	288	338	459
ENGINE, 225 CXXL EFI Saltwater, 4-Stroke Outboard. 30 inch shaft length. Counter-rotation. Electric start, set up for remote operation. Electronic fuel injection. Power trim/tilt is standard. Engine comes with mounting hardware.	ENG-225CXXL-EFI-SW-CY4	0	0	0
PROPELLER, Spare, Mercury, Verado, LH (Mounted)	ENG-PROP-VER-LH	0	0	0
PROPELLER, Spare, Mercury, Verado, RH (Mounted)	ENG-PROP-VER-RH	0	0	0
PRE-RIG for DUAL ENGINES: Mercury 275XXL/CXXL, Verado, 4-Stroke Outboard. Parts include, Dual Engine Control, Smart Craft Gauge Package with Separate Fuel Gauge, Dual Key Switch, Speedometer, Depth Finder	ENG-PRERIG-VER-CY4-275	0	0	0
ENGINE, 275 XXL Verado, 4-Stroke Outboard. 30 inch shaft length. Emergency Stop Switch, Electric Start, Alternator, Power Trim, Overheat Warning Sensor, Smartcraft Compatible. Includes propeller.	ENG-275XXL-VER-CY4	0	0	0
ENGINE, 275 CXXL Verado, 4-Stroke Outboard. 30 inch shaft length. Counter-rotation, Emergency Stop Switch, Electric Start, Alternator, Power Trim, Overheat Warning Sensor, Smartcraft Compatible. Includes propeller.	ENG-275CXXL-VER-CY4	0	0	0
Honda				
ENGINE INSTALLATION AND TEST, Dual	ENG-INSTEST-01	0	0	0
Honda 4 Cycle OB				
PRE-RIG for DUAL ENGINES: Honda BF225 & BF225 Counter Rotation 4-Stroke Outboard	ENG-PRERIG-CY4-Honda	0	0	0
ENGINE, Honda 4-Stroke, Model BF225, Standard Rotation, 30" Shaft, Electric Start, Alternator, V-Tec, Engine Command System, Power Trim, Includes Propeller	ENG-BF225-Honda-CY4	0	0	0
ENGINE, Honda 4-Stroke, Model BF225, Counter Rotation, 30" Shaft, Electric Start, Alternator, V-Tec, Engine Command System, Power Trim, Includes Propeller	ENG-BF225C-Honda-CY4	0	0	0
Yamaha				
Evinrude OB				
ENGINE INSTALLATION AND TEST, Dual		0	0	0
PRE-RIG for DUAL ENGINES: Evinrude, Parts included are dual engine controls, control cables, gauge package, dual key switch, speedometer, (above are all analog units)		0	0	0
ENGINE, Evinrude, Direct Injection, Model E225FPZ, Standard Rotation, 30" Shaft, Loop charged, V-6 90 degree, Electric Start, Fast Track Power Trim and Tilt, Dual Voltage 60 AMP with Voltage regulator and battery isolator, pressure and temperature controlled water cooled, Includes Propeller		0	0	0
ENGINE, Evinrude, Direct Injection, Model E225FCZ, Counter Rotation, 30" Shaft, Loop charged, V-6 90 degree, Electric Start, Fast Track Power Trim and Tilt, Dual Voltage 60 AMP with Voltage regulator and battery isolator, pressure and temperature controlled water cooled, Includes Propeller <i>Many engine/drive options are available, including IO, Inboards, Water Jets, Gas, Diesel ... call for quote</i>		0	0	0
Diesel Applications				
Yanmar				
Yanmar 6LYA Mechanical Engines (2), Installed, up to 370 bph includes transmissions, engine-matched instrument panel, drive shaft, controls, exhaust/muffler system, and engine hatches. 5.2 liter engine. Engine is not Tier II Compliant. (Requires Diesel Fuel Option (FUEL-OPTD), BAT-OPT2, and Propulsion Drive)	ENG-YANMAR-6LYA	0	0	0

Description	Part #	288	338	459
Yanmar 6LY2A Mechanical Engines (2), Installed, up to 440 bhp includes transmissions, engine-matched instrument panel, drive shaft, controls, exhaust/muffler system, and engine hatches. 5.8 liter engine. Engine is not Tier II Compliant. (Requires Diesel Fuel Option, (FUEL-OPTD), BAT-OPT2, and Propulsion Drive)	ENG-YANMAR-6LY2A	0	0	0
Cummins				
Cummins QSB Electronic Engines (2), Installed, up to 380 bhp includes transmissions, engine-matched instrument panel, drive shaft, controls, exhaust/muffler system. 5.9 liter engine. Engine is Tier II Compliant. (Requires Diesel Fuel Option (FUEL-OPTD), BAT-OPT2, and Propulsion Drive)	ENG-CUMMINS-SQB5.9	0	0	0
Propulsion Systems				
WaterJet Propulsion Systems (requires Diesel System)				
UltraJet				
UltraJet 305 WaterJets (2), Installed. Matched electronic over-hydraulic joystick control. Two lever helm control. Power Assist Steering. Can be used with Cummins QSB, QSC, QSL; Yanmar 6LYA; Caterpillar 3126B, Q9. (requires EXT-TRIMTAB-01)	PROPWJ-UJ-305-JS	0	0	0
UltraJet 305 WaterJets (2), Installed. Matched two lever push/pull cable helm control. Power Assist Steering. Can be used with Cummins QSB, QSC, QSL; Yanmar 6LYA; Caterpillar 3126B, Q9. (requires EXT-TRIMTAB-01)	PROPWJ-UJ-305-CB	0	0	0
Outdrive Propulsion Systems				
Konrad				
Konrad 520 Outdrives (2), Installed. Can be used with Cummins QSB, Yanmar 6LYA, Yanmar 6LY2A	PROPOD-KONRAD-520	0	0	0
Steering Options				
High-Performance, Power Assist Steering System, Twin Cylinders (upgrade from standard steering system)	STE-FPS-11	0	0	0
Convenience Options				
ALUMINUM DRINK HOLDER	CONV-DRKHLD-01	0	0	0
ALUMINUM HOLDER on Binnacle for Phone and Stuff-It Storage	CONV-ALHLD-01	0	0	0
Electronics Options				
GPS CHART PLOTTER/ECHO SOUNDER, Simrad CE42 GPS Combo Kit (includes display unit, chartplotter system with integrated dual frequency fishfinder, built in 14 channel GPS and WAAS	ELT-CE42-GPS	0	0	0
DGPS CHART PLOTTER/ECHO SOUNDER, Simrad CE42 GPS Combo Kit (includes display unit, chartplotter system with integrated dual frequency fishfinder, built in 14 channel GPS and WAAS receiver, low profile antenna), Transducer	ELT-CE42-DGPS	0	0	0
Chart Cartridge (must specify area)				
RADAR, Simrad RA41C, 10" Color TFT, 24" Radome, Distance Range 36NM	ELT-RA41C	0	0	0
ICOM M402 VHF Marine Radio, Stainless Steel Antenna Mount, External Speaker (requires antenna)	ELT-M402-01	0	0	0

Description	Part #	288	338	459
ICOM M502 VHF Marine Radio, Stainless Steel Antenna Mount, External Speaker (requires antenna)	ELT-M502-01	0	0	0
ICOM M127, VHF Marine Radio, Stainless Steel Antenna Mount, External Speaker (requires antenna)	ELT-M127-01	0	0	0
RDF, VHF/ADF Adapter, Sitex 525, complete with 8 element Adcock Antenna	ELT-RDF525-01	0	0	0
STAINLESS STEEL ANTENNA, Shakespeare Antenna, 36", Heavy Duty Whip, Installed	ELT-SSANT36-01	0	0	0
FIBERGLASS ANTENNA, Shakespeare Antenna, 8', 6db, Chrome Ferrule, Installed	ELT-FGANT8-SH	0	0	0
FIBERGLASS ANTENNA, Digital Antenna, 8', 6db, Chrome Ferrule, Installed	ELT-FGANT8-DI	0	0	0
FIBERGLASS ANTENNA, Digital Antenna, 4', 4.5 db, Chrome Ferrule, Installed	ELT-FGANT4-DI	0	0	0
HAILER, Raytheon 430, Loud Hailer with Horn, 30 Watts, 8 Foghorn Signals, External Speaker <i>Many other electronic options available, call for quote ... also see Law Enforcement Equipment Options</i>	ELT-HAIL430-01	0	0	0

Fuel Systems Options

STANDARD FUEL TANKAGE				
ADDITIONAL FUEL TANKAGE CAPACITY FOR 288.... 250 GALLONS	FUEL-OPTGAL-250	0	-	-
ADDITIONAL FUEL TANKAGE CAPACITY FOR 338.... 375 GALLONS	FUEL-OPTGAL-375	-	0	-
ADDITIONAL FUEL TANKAGE CAPACITY FOR 459.... 400 GALLONS	FUEL-OPTGAL-400	-	-	0
FUEL PUMP for Dual Engine System, Electric, 12V, Ignition-Protected	FUEL-OPT1	0	0	0
FUEL FILTER/WATER SEPARATOR for Dual Engine System.		0	0	0
FUEL FILTER/WATER SEPARATOR for Dual Engine System. Includes 12V, Ignition-Protected, Electric Fuel Pump. PLUS ... Racor Filter/Separator and Stainless Steel Filter Bypass Ball Valve (1 per side)	FUEL-OPT2	0	0	0
FUEL FILTER/WATER SEPARATOR for Dual Engine System. Includes 12V, Ignition-Protected, Electric Fuel Pump. PLUS ... Racor Filter/Separator and Stainless Steel Bypass Ball Valves (2 per side)	FUEL-OPT3	0	0	0
LAZARETTE BLOWER, Intake/Discharge System	BLWR-LAZ-01	0	0	0
DIESEL FUEL OPTION. Diesel Only. Includes Racor 490 spin on filter assembly.	FUEL-OPTD	0	0	0

Electrical Accessories Options

12 VOLT RECEPTACLE	ELEC-12VR-01	0	0	0
BATTERY CHARGER, 5000 Gel Series, 50 Amp, 60 Hz (requires shorepower or generator)	ELEC-BATCH-01	-	0	0
<i>Other battery chargers available, call for quote</i>			0	0
SHORE POWER PLUG & ISOLATION TRANSFORMER, Shore Power, 30 Amp. Transformer: 3.6T KVA, 30 Amp, 120 Volt Service	ELEC-SP&IT-01	-	0	0
Sure Power Converter #52308, Converts 24 VDC to 12 VDC	ELEC-CONVERTER	0	0	0
GENERATOR, Engine-Mounted, AuraGen G5000 Viper, Power Induction Systems, 5KW, 120/240 VAC, 60 Hz		0	0	0
GENERATOR, Diesel, Kohler, 5EOZ, 5KW, 3 Cylinder, 4 Cycle, Closed Cooling System, 120/240 VAC, 60 Hz	ELEC-GEN-KHLR-DIES-5EOZ	0	0	0

Description	Part #	288	338	459
GENERATOR, Gasoline, Kohler, 5E, 5KW, 2 Cylinder, 4 Cycle, Closed Cooling System, 120/240 VAC, 60 Hz	ELEC-GEN-KHLR	-	0	0
GENERATOR, Gasoline, Westerbeke, MVP3, 3KW, 2 Cylinder, 4 Cycle, Closed Cooling System, 120 VAC, 60 Hz	ELEC-GEN-MVP3	0	0	0
GENERATOR, Gasoline, Westerbeke ,5.0 BCG, 5KW, 3 Cylinder, 4 Cycle, Closed Cooling System, 120 VAC, 60 Hz	ELEC-GEN-5BCG	0	0	0
SHORE POWER CORD, 30 AMP, 50', 125V Molded Shore Power Cord Set	ELEC-SPCORD-01		0	0
REFRIGERATOR/FREEZER, Norcold DE-0051 2.7 cu ft Ref/Frz (Requires Part #: PH-GALLEYCAB-01)	ELEC-FRG-2.7	0	0	0
MILITARY LOW SMOKE WIRING, where required ... Band-It Stainless Steel Straps Used Throughout Boat to Secure Electrical Cables	ELEC-MLTYLOWSMO-01	0	0	0
MILITARY ELECTRICAL DISTRIBUTION PANEL, Breaker(s), includes Custom Gear to supply panel from multiple battery banks and meters	ELEC-MILDISPNL-01	0	0	0

Electric Battery Management

Standard Battery Management System **Per Engine for Dual Engines** comes with a starting Battery (29), Heavy-Duty Aluminum Tray, Rig-for-Red Light in each lazette, On/Off Battery Switch, Battery Cables, Terminals. and Overall System includes 1-2-All Switch for power selection to distribution panel.

The following are UPGRADES to that Standard System:

BATTERY MANAGEMENT SYSTEM, One House Battery (29), Heavy-Duty Aluminum Tray, Battery Cables. System includes Battery Max II Volt Seeker with paralleling switch.	BAT-OPT1	0	0	0
BATTERY MANAGEMENT SYSTEM, Two House Batteries (29), Two Heavy-Duty Aluminum Trays, Battery Cables. System includes Battery Max II Volt Seeker with paralleling switch.	BAT-OPT2	0	0	0

Many other battery management options available, call for quote

Hatches (in addition to standard)

HATCH, 6", Armstrong, Watertight, Black	HAT-6-B01	0	0	0
HATCH, 8", Armstrong, Watertight, Black	HAT-8-B01	0	0	0
HATCH, 10" x 20", Armstrong, Watertight, T-Handles, Black	HAT-10x20-B01	0	0	0
HATCH, 10" x 20", Armstrong, Watertight, T-Handles, White	HAT-10x20-W01	0	0	0
PORT LIGHT, 6" x 13", Cast ALMAG Frame, Clear Lexan Lens, White Powdercoat, incl. Trim Ring and Screen, Mounts Vertically)	PL-6x13-01	0	0	0
PORT LIGHT, 8-1/2" x 16", Cast ALMAG Frame, Clear Lexan Lens, White Powdercoat, incl. Trim Ring and Screen (Mounts Vertically)	PL-8.5x16-01	0	0	0
PORT LIGHT, 16" x 16", White Bronze Hatch Light, Mounts Horizontally (requires long cuddy cabin)	PL-16x16-W01	0	0	0
PORT LIGHT, 16" x 16", Cast ALMAG Frame, Tinted Lexan with Support Bars, Black, Mounts Horizontally (requires long binnacle)	PL-16x16-B02	0	0	0
PORT LIGHT, 16" x 16", Cast ALMAG Frame, Tinted Lexan with Support Bars, White, Mounts Horizontally (requires long binnacle)	PL-16x16-W02	0	0	0

Description	Part #	288	338	459
HATCH, 16" x 20", Polar White (requires long cuddy cabin)	HAT-16x20-W01	0	0	0
HATCH, 16" x 24", Heavy-Duty Polar White Door	HAT-16x24-W01	0	0	0
HATCH, 15" x 24", Freeman, Heavy-Duty, Watertight, Aluminum, Hinged with Knife Seal	HAT-15x24-01	0	0	0
HATCH, 18" x 24", Freeman, Heavy-Duty, Watertight, Aluminum, Hinged with Knife Seal	HAT-18x24-01	0	0	0
LARGE RECESSED STORAGE LOCKER, 19-3/4"W x 11-3/4"H x 7-1/4"D	HAT-46101500	0	0	0
<i>Other special purpose hatches available, call for quote</i>				

Deck Coolers/Utility Box Options

DECK COOLER, many sizes, call for quote

STORAGE BOX, Aluminum, 48x18x18, Installed Shelf, Enclosed with Locking Latch	BOX-481818-01	0	0	0
STORAGE BOX, Aluminum, 24x18x18, Shelf	BOX-241818-01	0	0	0

Also see Law Enforcement Equipment Options

Navigation/Safety Options

EPIRB (Emergency Position Indicating Radio Beacon) ACR, GlobalFix 406 MHZ, with Integral GPS, Category II, Manual Release Activation, Built-in Strobe Light, Mounting Bracket that includes Water	SAF-EPIRB-406G	0	0	0
EPIRB (Emergency Position Indicating Radio Beacon) ACR, Satellite2 406 MHZ, Emits Distress and Search and Rescue Signal, Built-in Strobe Light, Mounting Bracket that includes Water Sensor	SAF-EPIRB-406S	0	0	0
BUOYANCY CUSHIONS, (4), Type IV	SAF-BYCUSH-01	0	0	0
BUOYANCY RING, 24" Heavy Duty, Type IV, Reflective Tape, includes Holder (Mounted)	SAF-BYRINGHOL-01	0	0	0
COMPASS, Ritchie, Flush. Features include internal gimbal, built-in compensator magnets, 45 degree lubberlines, 12V DC night lighting and movable sun shields, 3-year warranty, 4-1/2" apparent, extra-	NAV-COMPASS-01	0	0	0
FIRE SUPPRESSION SYSTEM, FE241 Extinguishing Agents (2), Remote Accuator at Helm.	SAF-FRSUPSY-01	0	0	0
FLARE KIT, Orion 12 Gauge Alert/Locate Deluxe Kit, includes 12 Gauge Flare Launcher, 12 Gauge Red Flares (3), 12 Gauge White Flare, Hand-Held Red Flares (3), Hand-Held Orange Flare, Distress	SAF-FLAREKIT-01	0	0	0
FLOODLIGHTS, (4), Nightblaster, 55 Watt Halogen, 12 VDC, One on Port, One on Starboard, and Two Shining Aft	SAF-FLOODLGT-NB55	0	0	0
FLOODLIGHT, (1), 100 Watt Quartz, 12 VDC, Tungsten Halogen Floodlight, Stainless Steel White Powdercoated Frame	SAF-FLOODLGT-AS100	0	0	0
FLOODLIGHT, (1), Xenon, 35 Watt, HID Lighting System, 12 Volt, Bulbs included	SAF-FLOODLGT-XE	0	0	0
FLOODLIGHT, (1), 500 Watt Quartz, Tungsten Halogen Floodlight, 110 VAC	SAF-FLOODLGT-500	0	0	0
LIGHTS, (2), Bow Docking, Aqua Power, Heavy Duty, 30,000 CP	SAF-BOWLGT-01	0	0	0
HAND BILGE PUMP, 10 GPM, 6 FT Hose	SAF-BLGPUMP-H01	0	0	0
BILGE PUMP, Electric, 1250 GPH (in place of STD bilge pump)	SAF-BLGPUMP-E1250	0	0	0
BILGE PUMP, Electric, 2000 GPH (in place of STD bilge pump)	SAF-BLGPUMP-E2000	0	0	0

Description	Part #	288	338	459
DEWATERING SYSTEM with Vinyl Cover	SAF-DEWATERING-H	0	0	0
LIGHT, Chart	SAF-CHLGT-01	0	0	0
LIGHT, Courtesy	SAF-CRTLGT-01	0	0	0
LIGHT, Deck, (4)	SAF-DECKLGT-01	0	0	0
LIGHT, Special Ops, Red/White/Red with Mast	SAF-SPOPSLGT-01	0	0	0
LIGHT, with Halogen Bulb, Rig-for-Red Feature	SAF-HALLGT-01	0	0	0
SPOTLIGHT, Combination Flood (55 Watt Halogen) and Spotlight (100 Watt Halogen), Guest Model 298-5, Remote-Control Unit, Base Swivels 355 Degrees and Tilts 40 Degrees (requires Hardtop, Pilot	SAF-SPOTLGT-01	0	0	0
SPOTLIGHT, Carlisle-Finch 10" 100w Spotlight	SAF-SPOTLGT-H01	0	0	0
SPOTLIGHT, Handheld, 2,000,000 CP, 10' Coil Cord with Cigarette Lighter Plug (requires 12V receptacle option)	SAF-SPOTLGT-H01	0	0	0
SPOTLIGHT, Handheld, 35 Watt, 12 Volt, Xenon (requires 12 V receptacle)	SAF-SPOTLGT-XE02	0	0	0
3D Cell MAG LIGHT (NOT OFFERED ON GSA BECAUSE OF 0% DISCOUNT FROM RETAIL)	SAF-MAGLGT-3D	0	0	0
MAG LIGHT HOLDER for 3D Cell Flashlight, Stainless Steel	SAF-MAGLGT-HDR-01	0	0	0
LAY DOWN MAST, Welded Aluminum, for mounting Anchor Light, Radar, Spotlight, Floodlights, and Antennas, folds down quickly for transport (requires Hardtop or Pilot House)	SAF-LDMAST-01	0	0	0
FIXED MAST, Welded Aluminum, for mounting Anchor Light, Radar, Spotlight, Floodlights, and Antennas (requires Hardtop or Pilot House)	SAF-FXMAST-01	0	0	0
<i>Many custom mast options available, call about special requirements</i>				
ANTENNA ANGLES, (2), 1 Port & 1 Starboard, on Hardtop or Pilothouse to receive multiple antennas/Lights/Horns/Hailers	NAV-ANTANG-01	0	0	0
GUNNEL/FOREDECK NON-SKID OPTION	SAF-NONSKID-01	0	0	0
Anchoring				
ANCHOR, Fortress, FX16, 10 lbs, installed with chocks and line/chain	ANC-FX16	0	0	0
ANCHOR, Fortress, FX23, 15 lbs, installed with chocks and line/chain	ANC-FX23	0	0	0
WINDLASS, Maxwell Anchormax, Max. Line Pull 850 lbs	ANC-WIN-01	0	0	0
BOW ANCHOR ROLLER	ANC-BOWROL-01	0	0	0
STERN ANCHOR GLIDE	ANC-STERNGL-01	0	0	0
Law Enforcement Equipment Options				
ICOM F1020, 45 Watt VHF Mobile Transceiver (requires antenna)	ELT-LE-1020-01	0	0	0
ICOM M521, 50 Watt VHF Transceiver, 256 Memory Channels, 9 Programmable Buttons, Full Built-in Tone Signalings (requires antenna)	ELT-LE-M521-01	0	0	0
LAW ENFORCEMENT SIREN WITH HAILER	ELT-LE-SIRHAIL-01	0	0	0
LAW ENFORCEMENT SIREN WITHOUT HAILER	ELT-LE-SIR-01	0	0	0

Description	Part #	288	338	459
LAW ENFORCEMENT STROBE LIGHTS, (2), 25 Watt Output Power, 6" H x 5-1/2" D, Permanent Mount (requires Mast)	ELT-LE-STRLGT-01	O	O	O
WHELEN 22" LIGHT BARS, (2), Four Strobe Mini Light Bar, 2-1/2" H X 22" L, Permanent Mount, Blue Lights (requires mounting bars, part #, NAV-ANTANG-01)	ELT-LE-24LGTBAR-01	O	O	O
SHOT GUN MOUNT for Remington 870 that has a Marine and Extended Magazine, Pro-Gard Model 3200, Manual Key Lock	LE-SHOTGUNMNT-01	O	O	O
STORAGE BOX, Aluminum, 48x18x18, Installed Shelf, Enclosed with Locking Latch, 2 Evidence Lock Boxes	LE-BOX-481818-ELB	O	O	O

Many other law enforcement options available, call for quote

Firefighting Equipment Options

Many firefighting equipment options available, call for quote

Salt Water Wash Down System

Paint & Lettering Options

BOTTOM PAINT	PAI-BOTTOM-01	O	O	O
UPPER PAINT	PAI-UPPER-01	O	O	O
BOAT I.D. NUMBERS VINYL	LET-BOATID-VNYL	O	O	O
LETTERING ON HULL UP TO 15 CHARACTERS PER SIDE	LET-HULL-01	O	O	O

Special Purpose Equipment Options

.50 CAL M.G. Gunwale Mount Socket (PR)

.50 CAL M2HB M.G. Soft Mount w/o Armor

7.62MM MG Pipe Pedestal Stand with Integral Gunwale Rail

H-60 7.62MM M-60 M.G. Cradle Assy with Ammo Can Holder

MK16-MOD2 Tripod with Hull Reinforcement

NATO .50 CAL Ammo Can Storage Shelves for MK16 Tripod

NATO 7.62 Ammo Can Storage Shelves for Bench Seats

Many other special purpose equipment options available, call for quote

Trailer Options

Description	Part #	288	338	459
TRAILER, Steel, Polyurethane Paint, tandem, Payload 10,700 ... (Comes standard with (2) 6,000 lb Safe-T-Lube, Drop-Center, Submersible Axles; 12,6000 lbs. GVWR; All Wheel Electric Brakes (12"); 16" E 10-ply Radial Tires - Morton Silver, Clear Coat Wheels; Tunnel Hull Bunking; Structural Tear Drop Fenders with Anti-Skid; 2,000 lb Swivel Tongue Jack; Two Speed Manual Winch with 6,000 lb Winch Strap; 20,000 lb. Coupler with 2-5/16" Ball & Electric Breakaway Switch; Epoxy Primer, Polyurethane Paint with Clearcoat)	TRA-288-PAI-01	O	-	-
TRAILER, Steel, Galvanized, tandem, Payload 10,700 ... (Comes standard with (2) 6,000lb Safe-T-Lube, Drop-Center, Submersible Axles; 12,6000 lbs. GVWR; All Wheel Electric Brakes (12"); 16" E 10-ply Radial Tires - Morton Silver, Clear Coat Wheels; Tunnel Hull Bunking; Structural Tear Drop Fenders with Anti-Skid; 2,000 lb Swivel Tongue Jack; Two Speed Manual Winch with 6,000 lb Winch Strap; 20,000 lb. Coupler with 2-5/16" Ball & Electric Breakaway Switch)	TRA-288-GAL-01	O	-	-
TRAILER, ALUMINUM FOR MISSION 288	TRA-288-AL-01		-	-
TRAILER, Steel, Polyurethane Paint, tri-axle, Payload 13,782 (Comes standard with (3) 6,000 lb. Safe-T-Lube, Drop-Center, Submersible Axles; 16,002 lb. GVWR; All Wheel Electric Brakes (12"); 15" D, 8-ply Radial Tires - Morton Silver, Clear Coated Wheels; Tunnel Hull Bunking; Structural Tear Drop Fenders with Anti-Skid; 7,000 lb. Tongue Jack; Two Speed Manual Winch with 6,000 lb Winch Strap; 20,000 lb. Coupler with 2-5/16" Ball and Electric Breakaway Switch; Epoxy Primer, Polyurethane Paint with Clearcoat)	TRA-338-PAI-01	-	O	-
TRAILER, Steel, Galvanized, tri-axle, Payload 13,782 (Comes standard with (3) 6,000 lb. Safe-T-Lube, Drop-Center, Submersible Axles; 16,002 lb. GVWR; All Wheel Electric Brakes (12"); 15" D, 8-ply Radial Tires - Morton Silver, Clear Coated Wheels; Tunnel Hull Bunking; Structural Tear Drop Fenders with Anti-Skid; 7,000 lb. Tongue Jack; Two Speed Manual Winch with 6,000 lb Winch Strap; 20,000 lb. Coupler with 2-5/16" Ball and Electric Breakaway Switch)	TRA-338-GAL-01	-	O	-
TRAILER, ALUMINUM FOR MISSION 338	TRA-338-AL-01	-	-	-
TRAILER, Steel, Polyurethane Paint, tri-axle, Payload 18,550 (Comes standard with (3) 7,000 lb. Safe-T-Lube, Drop-Center, Submersible Axles; 22,050 lb. GVWR; All Wheel Electric Brakes (12"); 16" G, 14-ply Radial Tires-White Wheels; Tunnel Hull Bunking; Structural Tear Drop Fenders with Anti-Skid; 7,000 lb Tongue Jack; Two Speed Manual Winch with 6,000 lb. Winch Strap; 20,000 lb Coupler with 2-5/16" Ball and Electric Breakaway Switch; Epoxy Primer, Polyurethane Paint with Clearcoat)	TRA-475-PAI-01	-	-	O
TRAILER, Steel, Galvanized, tri-axle, Payload 18,550 (Comes standard with (3) 7,000 lb. Safe-T-Lube, Drop-Center, Submersible Axles; 22,050 lb. GVWR; All Wheel Electric Brakes (12"); 16" G, 14-ply Radial Tires-White Wheels; Tunnel Hull Bunking; Structural Tear Drop Fenders with Anti-Skid; 7,000 lb Tongue Jack; Two Speed Manual Winch with 6,000 lb. Winch Strap; 20,000 lb Coupler with 2-5/16" Ball and Electric Breakaway Switch)	TRA-475-GAL-01	-	-	O
TRAILER, ALUMINUM FOR MISSION 459	TRA-475-AL-01	-	-	-
BRAKE FLUSH KIT, tandem	TRA-BRFL-TAN-01	O	-	-
BRAKE FLUSH KIT, tri-axle	TRA-BRFL-TRI-01	-	O	O
GOAL POST LADDER	TRA-GOALLAD-01	O	O	O
HARDWARE PACKAGE, Stainless Steel, tandem	TRA-HRDPK-TAN-01	O	-	-
HARDWARE PACKAGE, Stainless Steel, tri-axle	TRA-HRDPK-TRI-01	-	O	O
PINTLE HITCH (can substitute at no charge for the 20,000 lb coupler)	PINTLEHITCH			
SLING POCKETS, (2)	TRA-SLINGPKT-01	O	O	O
SPARE TIRE AND WHEEL, (16" E), Morton's Silver, tandem	TRA-SPARE-TAN-01	O	-	-
SPARE TIRE AND WHEEL, (15" D), Morton's Silver, tri-axle	TRA-SPARE-TRI-01	-	O	O
SPARE TIRE, Welded Mount	TRA-SPAREWM-01	O	O	O
STORAGE BOX, Aluminum, 18" x 18" x 24"	TRA-BOX-241818-01	O	O	O
STORAGE BOX, Aluminum, 18" x 18" x 36"	TRA-BOX-361818-01	O	O	O
TIRE RIM Upgrade, Aluminum, 16" E tandem (4 wheels)	TRA-TIRERIMUP-TAN	O	-	-
TIRE RIM Upgrade, Aluminum, 15" D tri-axle (6 wheels)	TRA-TIRERIMUP-TRI	-	O	O
TIRE RIM Upgrade, for SPARE TIRE, Aluminum, 16" E tandem	TRA-TIRERIMUP-TAN	O	-	-
TIRE RIM Upgrade, for SPARE TIRE, Aluminum, 15" D tri-axle	TRA-TIRERIMUP-TRI	-	O	O
WINCH, Power, Tandem 10,040 lb rating	TRA-PWRWIN-TAN	O	-	-

Description	Part #	288	338	459
WINCH, Power, Tri-Axle 17,570 lb rating	TRA-PWRWIN-338TRI	-	0	0
Commissioning Gear Options				
FENDER, Big B, 12" x 34", includes 12' of 3 strand line	SAF-FENDER-12X34	0	0	0
LINES, (4), 5/8"; Nylon, Black, 3 Strand, Prespliced ... 15' (2) ... 25' (2)	COM-LINE-01	0	0	0
LIFE JACKETS, (4)	COM-LIFEJKT-01	0	0	0
SPARE PARTS KIT (Nav light bulbs, rig for red bulbs, oil for lift brackets, oil for steering)	COM-SPAREKIT-01	0	0	0
SPARE PARTS KIT if FUEL-OPT2 or FUEL-OPT3 is chosen (Nav light bulbs, rig for red bulbs, oil for lift brackets, oil for steering, replacement fuel filters, fuel filter wrench)	COM-SPAREKIT-02	0	0	0
Commissioning Package				
Sea Trials				
SEA TRIALS (in Sandusky, Ohio)	SEATRIAL-01	0	0	0